













Fresubin® Jucy DRINK

Energy with a refreshing fruity flavour

1.5 kcal/mL oral nutritional supplement for the dietary management of patients with or at risk of malnutrition, in particular with increased energy needs and/or fluid restriction and fat malabsorption

Contains high quality whey protein

Fat free for patients with fat malabsorption

Fibre free for patients who cannot tolerate fibre

A refreshing alternative to milky oral nutrition supplements

Fresubin® Jucy DRINK

Available in **four** delicious flavours in 200 mL EasyBottle

Nutritional Information

Average content		100 mL	bottle : 200 m
Energy value	kJ (kcal)	630 (150)	1260
Fat (0% Energy)	g	0	(300
of which SFA*	q	0	
Carbohydrate (89% Energy)	g g	33.5	6
of which sugars	q	8.0	16.
of which lactose	q	≤ 0.03	≤ 0.0
Fibre (0% Energy)	g	0	_ 0.0
Protein (11% Energy)	g	4.0	8.
Water	mL	76	15
Osmolarity	mosmol/L	680	68
	nosmol/kg H ₂ O	900	90
Minerals and trace elements	iosilioi/kg H2O	900	90
	no. a	_	
Sodium Chloride	mg	6 190	1 38
	mg	190	30
Potassium	mg	7 50	10
Calcium	mg		
Phosphorus	mg	11	2
Magnesium	mg	1	
Iron	mg	2.5	2-
Zinc	mg	1.88	3.7
Copper	μg	375	75
lodine	μg	37.5	7
Selenium	μg	12.5	2
Manganese	mg	0.5	
Chromium	μg	12.5	2
Molybdenum	μg	18.8	37.
Fluoride	mg	0.25	
Vitamins			/
Vitamin A	μg RE°	150/178*	300/35
of which β-Carotene**	μg RE°	28*	5
Vitamin D ₃	μg	2.5	_
Vitamin E	mg α-TE°°	3.75	7.
Vitamin K ₁	μg	25	5
Vitamin C	mg	18.8	37.
Thiamin (vitamin B ₁)	mg	0.3	0.
Riboflavin (vitamin B ₂)	mg	0.4	0.
Vitamin B ₆	mg	0.4	0.
Niacin	mg/mg NE°°°	1.8/2.6	3.6/5.
Folic Acid	μg	62.5	12
Vitamin B ₁₂	μg	0.75	1.
Pantothenic Acid	mg	1.5	
Biotin	μg	9.4	18.

^{*}saturated fatty acids (SFA)



General Information

Food for special medical purposes:

For the dietary management of patients with or at risk of malnutrition in particular for patients with fat malabsorption and/or increased energy needs. Juice-style, highcaloric (1.5 kcal/mL) oral nutritional supplement. Fat and fibre free.

Dosage:

To be determined by a healthcare professional according to patients' needs. Recommendation for supplementary nutrition, 2 - 3 bottles (600 - 900 kcal)/day.

Important notice:

To be used under medical supervision. Not suitable as sole source of nutrition. Not suitable for children <3 years. Use with caution in children <6 years. Not suitable for patients with galactosaemia. Ensure adequate fluid intake.

Not for parenteral (I.V.) use!

Instruction for use:

Best served chilled. Shake well before use. Store at room temperature. Opened bottles may be stored in a refrigerator for up to 24 hours.

Additional considerations:

Not suitable whenever enteral nutrition is not permitted such as in acute gastrointestinal bleeding, ileus and shock. Use with caution in severe organ failure with impaired metabolism and severe forms of malassimilation. Not suitable for patients with congenital inability to metabolise nutrients contained in Fresubin Jucy

Ingredients

Fresubin Jucy DRINK Apple: Water, glucose syrup, whey protein, sucrose, maltodextrin, calcium chloride, flavourings, vit. C, potassium chloride, iron citrate, zinc sulphate, sodium chloride, vit. E, magnesium chloride, pantothenic acid, niacin, manganese chloride, antifoaming agent (E 471), copper sulphate, vit. B_6 , vit. B_2 , sodium fluoride, vit. B_1 , vit. A, folic acid, chromium chloride, potassium iodide, sodium molybdate, vit. K_1 , sodium selenite, biotin, vit. D_3 , vit. B_{12} .

Allergen Information: Contains milk. Low lactose and gluten free.

Halal & Kosher certified.

Product ingredients for one flavour only. Detailed ingredient lists of the other flavours can be requested from ensupport-anz@fresenius-kabi.com

Flavours

Apple, Pineapple, Blackcurrant, Orange

^{**}only flavour Orange

*retinol equivalents (RE), °° alpha-tocopherol equivalents (-TE), °°° niacin equivalents