# Supportan<sup>®</sup>

Ready to use in 500 ml EasyBag



## Nutritional Information

Energy value	kJ	630
Energy value	кJ (= kcal)	(150
Fat	g	6.
of which saturated fatty acids	g	3.3
of which medium chain triglycerides	g	2.3
of which monounsaturated fatty acids	g	1.5
of which polyunsaturated fatty acids	g	1.9
of which eicosapentaenoic acid	-	0.4
of which docosahexaenic acid	g	0.1
Carbohydrate	g	11.8
-	g	6
of which sugars	g	
of which lactose	g	<u>≤ 0.</u>
Fibre	g	1.2
Protein Solt (No. x 2 E)	g	10
Salt (Na x 2.5) Water	g ml	0.12
Osmolarity	mosmol/l	340
Minerals and trace elements	11051101/1	540
Sodium	mg/mmol	47.5/2
Chloride	mg/mmol	50/1.4
Potassium	2. C	
	mg/mmol	128/3.
Calcium	mg/mmol	203/5
Phosphorus	mg/mmol	120/3.9
Magnesium	mg/mmol	26/1
Iron	mg	2.
Zinc	mg	
Copper	μ <b>g</b>	37
Iodine	μ <b>g</b>	37.5
Selenium	μ <b>g</b>	13.5
Manganese	mg	0.5
Chromium	μ <b>g</b>	12.5
Molybdenum	μ <b>g</b>	18.8
Fluoride	mg	0.2
Vitamins and other <sup>*</sup> nutrients		
Vitamin A	μ <b>g</b> RE°	21
of which β-Carotene	μ <b>g RE°</b>	6
Vitamin D <sub>3</sub>	μ <b>g</b>	2.
Vitamin E	mg a-TE°°	3.75
Vitamin K <sub>1</sub>	μ <b>g</b>	2
Vitamin C	mg	18.8
Thiamin (vitamin B <sub>1</sub> )	mg	0.3
Riboflavin (vitamin B <sub>2</sub> )	mg	0.4
Vitamin B <sub>6</sub>	mg	0.4
Niacin	mg/mg NE <sup>000</sup>	1.50/3.1
Folic Acid	μ <b>g</b>	62.
Vitamin B <sub>12</sub>	μ <b>g</b>	0.7
Pantothenic Acid	mg	1.5
Biotin	μ <b>g</b>	9.4
Choline*	mg	2.

Fat 40, carbohydrate 31, fibre 2, protein 27

°retinol equivalents (RE), °° alpha-tocopherol equivalents (α-TE), °°° niacin equivalents (NE)

## **General Information**

#### Food for special medical purposes:

Nutritionally complete high-caloric (1.5 kcal/ml) disease specific tube feed with fibre, high in protein (27 energy%), high in eicosapentaenoic acid (EPA) and docosahexaenic acid (DHA) from fish oil, high in fat, with medium chain triglycerides (MCT). Clinically free from lactose and gluten free. For the dietary management of patients with or at risk of disease related malnutrition, in particular with cancer, chronic catabolic disease and/or cachexia.

#### Dosage:

To be determined by a health care professional according to patients' needs. Recommendation for supplementary  $\geq$  500 ml (750 kcal)/day or complete nutrition  $\geq$  1000 ml (1500 kcal)/day.

#### Important notes:

To be used under medical supervision. Monitor feeding rate. Consider high protein and fish oil and lower sodium levels. Suitable as sole source of nutrition. Not suitable for children < 3 years. Use with caution in children < 6 years. Not suitable for patients with galactosaemia. Ensure adequate fluid intake.

Not for parenteral (I.V.) use!

#### Instruction for use:

Recommended tube size is  $\geq$  CH 5 for pump assisted feeding and for gravity feeding the minimum tube size is  $\geq$  CH 8. Store at room temperature. Once opened, use within 24 hours. Shake well before use! Do not use if bag is damaged or swollen or content is coagulated. Do not mix with drugs.

## Ingredients

Water, <u>milk protein</u>, maltodextrin, sucrose, <u>fish oil</u> (with <u>sova lecithins</u>), medium chain triglycerides (MCT), vegetable oils (safflower oil, sunflower oil), unlin (from chicory), potassium citrate, <u>wheat dextrin</u>, emulsifiers (E 471, <u>sova lecithins</u>), flavouring, sodium citrate, sodium chloride, vit. C, magnesium oxide, iron pyrophosphate, magnesium citrate, zinc sulphate, vit. B<sub>0</sub>, sodium fluoride, vit. B<sub>1</sub>, β-carotene, vit. A, folic acid, chromium chloride, vit. D<sub>3</sub>, vit. B<sub>12</sub>

last updated: 09/2019



Fresenius Kabi Deutschland GmbH 61346 Bad Homburg, Germany Phone: +49 (0) 61 72 / 686-0 Enteral.nutrition@fresenius-kabi.com www.fresenius-kabi.com